

Water Testing Standards & Reagents



Dedication to Quality Products and Service Excellence

GFS Chemicals is your one-stop shop for high quality reagents, technical assistance, and friendly, knowledgeable customer service. Our people are our greatest asset, and you can count on GFS for all your water testing needs.

Our turbidity standards are manufactured in Columbus, Ohio and shipped directly to our customers, ensuring the freshest product is received. GFS Chemicals has produced quality analytical reagents since 1928.

GFS Chemicals is ISO 9001:2015 certified and committed to providing high-quality materials to our customers. In addition to this certification, GFS has attained ISO 17025 accreditation, enabling us to analyze and issue documentation for conductivity, pH, turbidity, UV/VIS spectroscopy and water determination of reference materials.

Table Of Contents

Turbidity Standards	3
Conductivity	7
pH Buffers & ORP Standards	8
APHA Color Standards	8
Acids	9
Bases	10
Primary Standards	10
High Purity Solvents	11
Miscellaneous Chemicals & Solutions	12
UV-VIS Standards	15
AA/ICP Standards	16
IC Standards	19

Turbidity Standards

AMCO Clear® turbidity standards are traceable to NIST Primary Standards due to consistent particle size and photometric accuracy via UV-VIS spectroscopy. Each lot is normalized to historical lots which were formulated to dilutions of ISO17034 4000 NTU Formazin and is ISO 17025 accredited.

<u>Item #</u>	<u>Product Description</u>
8000	AMCO CLEAR TURBIDITY STANDARD, 0.0 NTU
8001	AMCO CLEAR TURBIDITY STANDARD, 0.1 NTU
8098	AMCO CLEAR TURBIDITY STANDARD, 0.1 NTU for HACH 2100N/AN INSTRUMENTS
8654	AMCO CLEAR TURBIDITY STANDARD, 0.1 NTU for HACH 2100P
8002	AMCO CLEAR TURBIDITY STANDARD, 0.2 NTU
8362	AMCO CLEAR TURBIDITY STANDARD, 0.3 NTU
8003	AMCO CLEAR TURBIDITY STANDARD, 0.4 NTU
8042	AMCO CLEAR TURBIDITY STANDARD, 0.5 EBC
8004	AMCO CLEAR TURBIDITY STANDARD, 0.5 NTU
8106	AMCO CLEAR TURBIDITY STANDARD, 0.5 NTU for HACH 2100N/AN INSTRUMENTS
8115	AMCO CLEAR TURBIDITY STANDARD, 0.5 NTU for HACH 2100P
8735	AMCO CLEAR TURBIDITY STANDARD, 0.5 NTU for HACH TU5200 EPA
8005	AMCO CLEAR TURBIDITY STANDARD, 0.6 NTU
8006	AMCO CLEAR TURBIDITY STANDARD, 0.8 NTU
8007	AMCO CLEAR TURBIDITY STANDARD, 1.0 NTU
8043	AMCO CLEAR TURBIDITY STANDARD, 1.0 EBC
8338	AMCO CLEAR TURBIDITY STANDARD 1.0 FNU for LAMOTTE 2020I and TC3000i
8477	AMCO CLEAR TURBIDITY STANDARD, 1.0 NTU for AQUASENSORS ONLINE INSTRUMENTS
8067	AMCO CLEAR TURBIDITY STANDARD, 1.0 NTU for HACH 2100N/AN INSTRUMENTS
8736	AMCO CLEAR TURBIDITY STANDARD, 1.0 NTU for HACH TU5200 EPA
8643	AMCO CLEAR TURBIDITY STANDARD, 1.0 NTU for HORIBA U-52
8180	AMCO CLEAR TURBIDITY STANDARD, 1.0 NTU for LAMOTTE 2020 INSTRUMENT
8335	AMCO CLEAR TURBIDITY STANDARD, 1.0 NTU for LAMOTTE 2020e and TC3000e
8052	AMCO CLEAR TURBIDITY STANDARD, 1 NTU for THERMO SCIENTIFIC AQ4500
8035	AMCO CLEAR TURBIDITY STANDARD, 1.8 NTU for HACH RATIO INSTRUMENTS
8008	AMCO CLEAR TURBIDITY STANDARD, 2.0 NTU
8099	AMCO CLEAR TURBIDITY STANDARD, 2.0 NTU for HACH 2100N/AN INSTRUMENTS
8655	AMCO CLEAR TURBIDITY STANDARD, 2.0 NTU for HACH 2100P
8044	AMCO CLEAR TURBIDITY STANDARD, 2.5 EBC
8009	AMCO CLEAR TURBIDITY STANDARD, 3.0 NTU
8010	AMCO CLEAR TURBIDITY STANDARD, 4.0 NTU
8011	AMCO CLEAR TURBIDITY STANDARD, 5.0 NTU
8100	AMCO CLEAR TURBIDITY STANDARD, 5.0 NTU for HACH 2100N/AN INSTRUMENTS
8124	AMCO CLEAR TURBIDITY STANDARD, 5.0 NTU for HACH 2100P
8661	AMCO CLEAR TURBIDITY STANDARD, 5.0 NTU for HORIBA U-52
8046	AMCO CLEAR TURBIDITY STANDARD, 5 EBC
8070	AMCO CLEAR TURBIDITY STANDARD, 5 NTU for HACH 1720C
8012	AMCO CLEAR TURBIDITY STANDARD, 6.0 NTU
8013	AMCO CLEAR TURBIDITY STANDARD, 8.0 NTU
8518	AMCO CLEAR TURBIDITY STANDARD, 8 NTU for HORIBA U-53
8014	AMCO CLEAR TURBIDITY STANDARD, 10 NTU
8045	AMCO CLEAR TURBIDITY STANDARD, 10 EBC
8538	AMCO CLEAR TURBIDITY STANDARD, 10 FNU for HACH 2100Q IR
8125	AMCO CLEAR TURBIDITY STANDARD, 10 FNU for HANNA ISO 7027 INSTRUMENTS
8339	AMCO CLEAR TURBIDITY STANDARD, 10 FNU for LAMOTTE 2020i and TC3000i
8076	AMCO CLEAR TURBIDITY STANDARD, 10 FNU for HF IR INSTRUMENTS
8117	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for ANALITE ISO 7027 PROBES
8478	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for AQUASENSORS ONLINE INSTRUMENTS
8534	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for HACH 2100Q WHITE LIGHT
8737	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for HACH TU5200 EPA
8521	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for HORIBA U-52
8515	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for HORIBA W-22

Turbidity Standards cont.

Item #	Product Description
8707	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for IN-SITU AQUA TROLL 600
8485	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for IN-SITU TROLL 9000
8184	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for LAMOTTE 2020 INSTRUMENT
8336	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for LAMOTTE 2020e and TC3000e
8054	AMCO CLEAR TURBIDITY STANDARD, 10 NTU FOR THERMO SCIENTIFIC AQ4500
8545	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for TURNER AQUAFUOR
8506	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for TURNER C3 TURBIDIMETER
8502	AMCO CLEAR TURBIDITY STANDARD, 10 NTU for TURNER TRILOGY INSTRUMENT
8624	AMCO CLEAR TURBIDITY STANDARD, 15 NTU for HANNA 88703 EPA
8629	AMCO CLEAR TURBIDITY STANDARD, 15 NTU for HANNA 88713 ISO
8037	AMCO CLEAR TURBIDITY STANDARD, 18 NTU for HACH RATIO INSTRUMENTS
8539	AMCO CLEAR TURBIDITY STANDARD, 20 FNU for HACH 2100Q IR
8015	AMCO CLEAR TURBIDITY STANDARD, 20 NTU
8412	AMCO CLEAR TURBIDITY STANDARD, 20 FNU FOR ROSEMOUNT CLARITY II ISO 7027 ONLINE METER
8118	AMCO CLEAR TURBIDITY STANDARD, 20 NTU for ANALITE INSTRUMENTS
8050	AMCO CLEAR TURBIDITY STANDARD, 20 NTU FOR HACH 1720 ONLINE TURBIDITY METER
8107	AMCO CLEAR TURBIDITY STANDARD, 20 NTU for HACH 2100N/AN INSTRUMENTS
8112	AMCO CLEAR TURBIDITY STANDARD, 20 NTU for HACH 2100P
8535	AMCO CLEAR TURBIDITY STANDARD, 20 NTU for HACH 2100Q WHITE LIGHT
8738	AMCO CLEAR TURBIDITY STANDARD, 20 NTU for HACH TU5200 EPA
8401	AMCO CLEAR TURBIDITY STANDARD, 20 NTU for HANNA HI-9829
8411	AMCO CLEAR TURBIDITY STANDARD, 20 NTU for ROSEMOUNT CLARITY II EPA 180.1 ONLINE METER
8619	AMCO CLEAR TURBIDITY STANDARD, 20 NTU for TURNER C3 TURBIDIMETER
8047	AMCO CLEAR TURBIDITY STANDARD, 25 EBC
8016	AMCO CLEAR TURBIDITY STANDARD, 30 NTU
8017	AMCO CLEAR TURBIDITY STANDARD, 40 NTU
8367	AMCO CLEAR TURBIDITY STANDARD, 40 NTU for ANALITE 180 deg PROBES
8120	AMCO CLEAR TURBIDITY STANDARD, 40 NTU for ANALITE ISO 7027 PROBES
8513	AMCO CLEAR TURBIDITY STANDARD, 40 NTU for HACH 2100N/AN INSTRUMENTS
8656	AMCO CLEAR TURBIDITY STANDARD, 40 NTU for HACH 2100P
8018	AMCO CLEAR TURBIDITY STANDARD, 50 NTU
8451	AMCO CLEAR TURBIDITY STANDARD, 50 FBU for METTLER-TOLEDO InPro 8200
8410	AMCO CLEAR TURBIDITY STANDARD, 50 NTU for ANALITE ISO 7027 PROBES
8527	AMCO CLEAR TURBIDITY STANDARD, 50 NTU for GLOBAL WATER
8508	AMCO CLEAR TURBIDITY STANDARD, 50 NTU for HACH 2100 AN IS
8176	AMCO CLEAR TURBIDITY STANDARD, 50 NTU FOR HYDROLAB, 37.4 NTU ON 4-BEAM
8700	AMCO CLEAR TURBIDITY STANDARD, 50 NTU for IN-SITU AQUA TROLL 600
8019	AMCO CLEAR TURBIDITY STANDARD, 60 NTU
8020	AMCO CLEAR TURBIDITY STANDARD, 80 NTU
8519	AMCO CLEAR TURBIDITY STANDARD, 80 NTU for HORIBA U-53
8021	AMCO CLEAR TURBIDITY STANDARD, 100 NTU
8452	AMCO CLEAR TURBIDITY STANDARD, 100 FBU for METTLER-TOLEDO InPro 8200
8540	AMCO CLEAR TURBIDITY STANDARD, 100 FNU for HACH 2100Q IR
8077	AMCO CLEAR TURBIDITY STANDARD, 100 FNU for HF IR INSTRUMENTS
8341	AMCO CLEAR TURBIDITY STANDARD, 100 FNU for LAMOTTE 2020i and TC3000i
8582	AMCO CLEAR TURBIDITY STANDARD, 100 FNU for LAMOTTE 2020wi
8188	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for ANALITE ISO 7027 PROBES
8528	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for GLOBAL WATER
8147	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for HACH 2100AN IS
8113	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for HACH 2100P

Turbidity Standards cont.

Item #	Product Description
8536	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for HACH 2100Q WHITE LIGHT
8626	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for HANNA 88703 EPA
8630	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for HANNA 88713 ISO
8522	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for HORIBA U-52
8516	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for HORIBA W-22
8701	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for IN-SITU AQUA TROLL 600
8486	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for IN-SITU TROLL 9000
8186	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for LAMOTTE 2020 INSTRUMENT
8337	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for LAMOTTE 2020e and TC3000e
8056	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for THERMO SCIENTIFIC AQ4500
8546	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for TURNER AQUAFLUOR
8507	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for TURNER C3 TURBIDIMETER
8503	AMCO CLEAR TURBIDITY STANDARD, 100 NTU for TURNER TRILOGY INSTRUMENT
8723	AMCO CLEAR TURBIDITY STANDARD, 125 NTU for OBS 3+ PROBE
8428	AMCO CLEAR TURBIDITY STANDARD, 125 TU for OBS 3 SERIES (PROBE) SENSOR
8039	AMCO CLEAR TURBIDITY STANDARD, 180 NTU for HACH 18900 INSTRUMENT
8104	AMCO CLEAR TURBIDITY STANDARD, 180 NTU for HACH 43900/XR
8022	AMCO CLEAR TURBIDITY STANDARD, 200 NTU
8639	AMCO CLEAR TURBIDITY STANDARD, 200 NTU for ANALITE INSTRUMENTS
8108	AMCO CLEAR TURBIDITY STANDARD, 200 NTU for HACH 2100N/AN INSTRUMENTS
8641	AMCO CLEAR TURBIDITY STANDARD, 200 NTU for HANNA 88713 ISO
8403	AMCO CLEAR TURBIDITY STANDARD, 200 NTU for HANNA HI-9829
8724	AMCO CLEAR TURBIDITY STANDARD, 250 NTU for OBS 3+ PROBE
8429	AMCO CLEAR TURBIDITY STANDARD, 250 TU for OBS 3 SERIES (PROBE) SENSOR
8024	AMCO CLEAR TURBIDITY STANDARD, 300 NTU
8025	AMCO CLEAR TURBIDITY STANDARD, 400 NTU
8453	AMCO CLEAR TURBIDITY STANDARD, 400 FBU for METTLER-TOLEDO InPro 8200
8121	AMCO CLEAR TURBIDITY STANDARD, 400 NTU for ANALITE ISO 7027 PROBES
8026	AMCO CLEAR TURBIDITY STANDARD, 500 NTU
8702	AMCO CLEAR TURBIDITY STANDARD, 500 NTU for IN-SITU AQUA TROLL 600
8509	AMCO CLEAR TURBIDITY STANDARD, 500 NTU for HACH 2100 AN IS
8132	AMCO CLEAR TURBIDITY STANDARD, 500 NTU for HANNA ISO 7027 INSTRUMENTS
8725	AMCO CLEAR TURBIDITY STANDARD, 500 NTU for OBS 3+ PROBE
8430	AMCO CLEAR TURBIDITY STANDARD, 500 TU for OBS 3 SERIES (PROBE) SENSOR
8027	AMCO CLEAR TURBIDITY STANDARD, 600 NTU
8739	AMCO CLEAR TURBIDITY STANDARD, 600 NTU for HACH TU5200 EPA
8627	AMCO CLEAR TURBIDITY STANDARD, 750 NTU for HANNA 88703 EPA
8631	AMCO CLEAR TURBIDITY STANDARD, 750 NTU for HANNA 88713 ISO
8028	AMCO CLEAR TURBIDITY STANDARD, 800 NTU
8541	AMCO CLEAR TURBIDITY STANDARD, 800 FNU for HACH 2100Q IR
8189	AMCO CLEAR TURBIDITY STANDARD, 800 NTU for ANALITE ISO 7027 PROBES
8114	AMCO CLEAR TURBIDITY STANDARD, 800 NTU for HACH 2100P
8537	AMCO CLEAR TURBIDITY STANDARD, 800 NTU for HACH 2100Q WHITE LIGHT
8635	AMCO CLEAR TURBIDITY STANDARD, 800 NTU for HANNA 88703 EPA
8637	AMCO CLEAR TURBIDITY STANDARD, 800 NTU for HANNA 88713 ISO
8523	AMCO CLEAR TURBIDITY STANDARD, 800 NTU for HORIBA U-52
8520	AMCO CLEAR TURBIDITY STANDARD, 800 NTU for HORIBA U-53
8517	AMCO CLEAR TURBIDITY STANDARD, 800 NTU for HORIBA W-22
8029	AMCO CLEAR TURBIDITY STANDARD, 900 NTU
8030	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU
8454	AMCO CLEAR TURBIDITY STANDARD, 1000 FBU for METTLER-TOLEDO InPro 8200
8360	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU for ANALITE 180 deg PROBES

Turbidity Standards cont.

Item #	Product Description
8122	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU for ANALITE ISO 7027 PROBES
8529	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU for GLOBAL WATER
8148	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU for HACH 2100AN IS
8109	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU for HACH 2100N/AN INSTRUMENTS
8703	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU for IN-SITU AQUA TROLL 600
8487	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU for IN-SITU TROLL 9000
8482	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU for LAMOTTE 2020e and TC3000e
8726	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU for OBS 3+ PROBE
8058	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU for THERMO SCIENTIFIC AQ4500
8620	AMCO CLEAR TURBIDITY STANDARD, 1000 NTU for TURNER C3 TURBIDIMETER
8431	AMCO CLEAR TURBIDITY STANDARD, 1000 TU for OBS 3 SERIES (PROBE) SENSOR
8359	AMCO CLEAR TURBIDITY STANDARD, 1750 FNU FOR HF MICRO1000 IR
8079	AMCO CLEAR TURBIDITY STANDARD, 1750 NTU for HF MICRO1000WL
8041	AMCO CLEAR TURBIDITY STANDARD, 1800 NTU for HACH 43900XR
8488	AMCO CLEAR TURBIDITY STANDARD, 1800 NTU for IN-SITU TROLL 9000
8628	AMCO CLEAR TURBIDITY STANDARD, 2000 NTU for HANNA 88703 EPA
8632	AMCO CLEAR TURBIDITY STANDARD, 2000 NTU for HANNA 88713 ISO
8704	AMCO CLEAR TURBIDITY STANDARD, 2000 NTU for IN-SITU AQUA TROLL 600
8727	AMCO CLEAR TURBIDITY STANDARD, 2000 NTU for OBS 3+ PROBE
8432	AMCO CLEAR TURBIDITY STANDARD, 2000 TU for OBS 3 SERIES (PROBE) SENSOR
8456	AMCO CLEAR TURBIDITY STANDARD, 3000 NTU for ANALITE ISO 7027 PROBES
8621	AMCO CLEAR TURBIDITY STANDARD, 3000 NTU for TURNER C3 TURBIDIMETER
8455	AMCO CLEAR TURBIDITY STANDARD, 4000 FBU for METTLER-TOLEDO InPro 8200
8361	AMCO CLEAR TURBIDITY STANDARD, 4000 NTU for ANALITE 180 deg PROBES
8032	AMCO CLEAR TURBIDITY STANDARD, 4000 NTU for HACH 2100 AN IS
8110	AMCO CLEAR TURBIDITY STANDARD, 4000 NTU for HACH 2100N/AN INSTRUMENTS
8705	AMCO CLEAR TURBIDITY STANDARD, 4000 NTU for IN-SITU AQUA TROLL 600
8728	AMCO CLEAR TURBIDITY STANDARD, 4000 NTU for OBS 3+ PROBE
8433	AMCO CLEAR TURBIDITY STANDARD, 4000 TU for OBS 3 SERIES (PROBE) SENSOR
8356	AMCO CLEAR TURBIDITY STANDARD, 7500 NTU for HACH 2100AN
8464	AMCO CLEAR TURBIDITY STANDARD, 7500 NTU for HACH 2100AN IS
8358	AMCO CLEAR TURBIDITY STANDARD, 10,000 NTU for HF MICRO1000 WHITE LIGHT
8483	AMCO CLEAR TURBIDITY/MULTI STANDARD, 0.0 NTU
8259	AMCO CLEAR WAVELENGTH CERTIFICATION KIT, 40 NTU RATIO AND 400 NTU FORMAZIN
8201	AMCO CLEAR CALIBRATION KIT, for EPA 180.1 TURBIDIMETERS
8203	AMCO CLEAR CALIBRATION KIT, for EPA 180.1 TURBIDIMETERS HIGH RANGE
8659	AMCO CLEAR CALIBRATION KIT, for Hach 1720 C/D/E ONLINE INSTRUMENTS WITH CHECK STANDARD
8247	AMCO CLEAR CALIBRATION KIT, for Hach 1720 C/D/E ONLINE INSTRUMENTS, FULL RANGE AMCO CLEAR CALIBRATION KIT, for Hach 1720 C/D/E ONLINE INSTRUMENTS, LOW RANGE 0/1 NTU
8271	
8195	AMCO CLEAR CALIBRATION KIT, for HACH 2100 N IS/AN IS INSTRUMENTS
8202	AMCO CLEAR CALIBRATION KIT, for HACH 2100A
8215	AMCO CLEAR CALIBRATION KIT, for HACH 2100N/AN
8216	AMCO CLEAR CALIBRATION KIT, for HACH 2100P
8543	AMCO CLEAR CALIBRATION KIT, for HACH 2100Q IR INSTRUMENT
8542	AMCO CLEAR CALIBRATION KIT, for HACH 2100Q WHITE LIGHT INSTRUMENT
8279	AMCO CLEAR CALIBRATION KIT, for HACH FILTER TRACK(r) 660
8212	AMCO CLEAR CALIBRATION KIT, for HACH RATIO 18900
8214	AMCO CLEAR CALIBRATION KIT, for HACH RATIO/XR and RATIO 2000 full range
8213	AMCO CLEAR CALIBRATION KIT, for HACH RATIO/XR and RATIO 2000 lower ranges
8246	AMCO CLEAR CALIBRATION KIT, for HANNA ISO 7027 INSTRUMENTS

Turbidity Standards cont.

<u>Item #</u>	<u>Product Description</u>
8265	AMCO CLEAR CALIBRATION KIT, for HF DRT15CE
8219	AMCO CLEAR CALIBRATION KIT, for HF MICRO 100
8220	AMCO CLEAR CALIBRATION KIT, for HF MICRO 100 IR
8221	AMCO CLEAR CALIBRATION KIT, for HF MICRO 1000 IR
8268	AMCO CLEAR CALIBRATION KIT, for HF MICRO 1000 WHITE LIGHT
8276	AMCO CLEAR CALIBRATION KIT, for HF MICRO TOL 3 INSTRUMENT
8275	AMCO CLEAR CALIBRATION KIT, for HF MICRO TPI INSTRUMENT
8252	AMCO CLEAR CALIBRATION KIT, for HF MICRO TPW INSTRUMENT
8226	AMCO CLEAR CALIBRATION KIT, for LAMOTTE 2008
8204	AMCO CLEAR CALIBRATION KIT, for LAMOTTE 2020
8484	AMCO CLEAR CALIBRATION KIT, for LAMOTTE 2020e
8622	AMCO CLEAR CALIBRATION KIT, for LAMOTTE 2020i
8584	AMCO CLEAR CALIBRATION KIT, for LAMOTTE 2020WE
8588	AMCO CLEAR CALIBRATION KIT, for LAMOTTE 2020WI
8208	AMCO CLEAR CALIBRATION KIT, for MONITEK TA1 and HACH 2100A
8211	AMCO CLEAR CALIBRATION KIT, for ORBECO-HELLIGE TURBIDIMETERS
8417	AMCO CLEAR CALIBRATION KIT, for ROSEMOUNT CLARITY II EPA 180.1 INSTRUMENT
8418	AMCO CLEAR CALIBRATION KIT, for ROSEMOUNT CLARITY II ISO 7027 INSTRUMENT
8257	AMCO CLEAR LINEAR CALIBRATION KIT, 0.0/0.1/0.2 NTU
8254	AMCO CLEAR LINEAR CALIBRATION KIT, 0.0/0.2/0.4/0.6/0.8/1.0 NTU
8255	AMCO CLEAR LINEAR CALIBRATION KIT, 0/2/4/6/8/10 NTU
8256	AMCO CLEAR LINEAR CALIBRATION KIT, 0/20/40/60/80/100 NTU
8272	AMCO CLEAR LINEAR VERIFICATION KIT, for HACH 2100N/AN/IS 0.0/0.2/0.4/0.6/0.8 NTU
8273	AMCO CLEAR LINEAR VERIFICATION KIT, for HACH 2100P 0.0/0.2/0.4/0.6/0.8 NTU

Conductivity

Conductivity measurements are critical measurements in many processes. GFS manufactures a selection of aqueous conductivity standards to match your requirements. These standards are tested in an ISO/IEC 17025 accredited laboratory.

<u>Item #</u>	<u>Product Description</u>
9481	10 uS/cm, CONDUCTIVITY STANDARD
9477	84 uS/cm, CONDUCTIVITY STANDARD
9307	100 uS/cm, CONDUCTIVITY STANDARD
9245	147 uS/cm, CONDUCTIVITY STANDARD
9376	400 uS/cm, CONDUCTIVITY STANDARD
9413	1,000 uS/cm, CONDUCTIVITY STANDARD
2174	1,413 uS/cm, CONDUCTIVITY STANDARD
9414	10,000 uS/cm, CONDUCTIVITY STANDARD
3747	12,880 uS/cm, CONDUCTIVITY STANDARD
2381	25,000 uS/cm, CONDUCTIVITY STANDARD
9205	50,000 uS/cm, CONDUCTIVITY STANDARD
9357	100,000 uS/cm, CONDUCTIVITY STANDARD

pH Buffers & ORP Standards

GFS Chemicals manufactures a vast assortment pH buffers for use in the research, analytical and manufacturing laboratories. All pH solutions are documented and analyzed in a 17025 accredited lab.

<u>Item #</u>	<u>Product Description</u>
2325	BUFFER SOLUTION, pH 1.00
1631	BUFFER SOLUTION, pH 1.68
1632	BUFFER SOLUTION, pH 2.00
1633	BUFFER SOLUTION, pH 3.00
680	BUFFER SOLUTION, pH 4.00
1634	BUFFER SOLUTION, pH 4.00, (COLOR CODED RED)
2340	BUFFER CONCENTRATE, pH 4.00
1635	BUFFER SOLUTION, pH 5.00
1636	BUFFER SOLUTION, pH 5.50
1637	BUFFER SOLUTION, pH 6.00
681	BUFFER SOLUTION, pH 7.00
1640	BUFFER SOLUTION, pH 7.00, (COLOR CODED GREEN)
1639	BUFFER SOLUTION, pH 7.00, (COLOR CODED YELLOW)
2335	BUFFER CONCENTRATE, pH 7.00
1641	BUFFER SOLUTION, pH 7.38
1642	BUFFER SOLUTION, pH 8.00
1643	BUFFER SOLUTION, pH 9.00
1644	BUFFER SOLUTION, pH 9.18
682	BUFFER SOLUTION, pH 10.00
1645	BUFFER SOLUTION, pH 10.00, (COLOR CODED BLUE)
2341	BUFFER CONCENTRATE, pH 10.00
2548	BUFFER SOLUTION, pH 11.00
1646	BUFFER SOLUTION, pH 11.33
1647	BUFFER SOLUTION, pH 12.00
2176	BUFFER SOLUTION, pH 12.45
2659	pH 0-6 TEST STRIPS
2968	pH 4.5-10.0 INDICATOR STICKS
2658	pH 0-14 TEST STRIPS
5525	ZORBELL SOLUTION, ORP STANDARD

APHA Color Standards

The APHA color measurement method measures the yellow hue in liquids in comparison to a platinum cobalt reference solution. Often referred to as the platinum/cobalt color, APHA color, or Hazen color scale, this system is one of the most common standards for the color measurement of liquids.

<u>Item #</u>	<u>Product Description</u>
9498	APHA 10 Color Standard Solution
9505	APHA 50 Color Standard Solution
9033	APHA 100 Color Standard Solution
9418	APHA 250 Color Standard Solution
2051	APHA 500 Color Standard Solution

Acids

Through proprietary technology, GFS has perfected the production of acids to part per billion (PPB) and part per trillion (PPT) residue levels, with virtually no trace level contaminants. Product line includes trace metal, ACS & technical grades as well as organic acids and non-aqueous acids. GFS Chemicals has a full line for use in R&D, QA/QC, low level contaminant analysis, and manufacturing.

<u>Item #</u>	<u>Product Description</u>
624	ACETIC ACID, GLACIAL, REAGENT (ACS)
2583	ACETIC ACID, SUPERIOR REAGENT (ACS)
546	ACETIC ACID, VERITAS REDISTILLED
7150	ACETIC ACID, PPB GRADE, VERITAS TRACE
7250	ACETIC ACID, PPT GRADE, VERITAS ULTIMATE
648	BORIC ACID, REAGENT (ACS), GRANULAR
1332	BORIC ACID, ACS REAGENT, POWDER
2038	BORIC ACID SOLUTION, 2% (ABSORBENT SOLUTION)
2585	FORMIC ACID, 88%, SUPERIOR REAGENT (ACS)
1262	FORMIC ACID, 88%, VERITAS DOUBLE DISTILLED
625	HYDROCHLORIC ACID, 37%, REAGENT (ACS)
2586	HYDROCHLORIC ACID, 37%, SUPERIOR REAGENT (ACS)
2180	HYDROCHLORIC ACID, 32-38%, VERITAS REDISTILLED
7110	HYDROCHLORIC ACID, PPB GRADE, VERITAS TRACE
7210	HYDROCHLORIC ACID, PPT GRADE, VERITAS ULTIMATE
504	HYDROCHLORIC ACID, 6 MOLAR, VERITAS REDISTILLED
722	HYDROCHLORIC ACID, SOLUTION, 0.1 N
1162	HYDROCHLORIC ACID, SOLUTION, 0.5 N
382	HYDROCHLORIC ACID, SOLUTION, 1.0 N
7130	HYDROFLUORIC ACID, PPB GRADE, VERITAS TRACE
7230	HYDROFLUORIC ACID, PPT GRADE, VERITAS ULTIMATE
932	HYDROGEN PEROXIDE, 30%, ACS REAGENT
3984	HYDROGEN PEROXIDE, 30%, VERITAS LOW TRACE METALS
3790	HYDROGEN PEROXIDE, 50% SOLUTION
2448	HYDROGEN PEROXIDE, 99.999%, 30-32% IN WATER
626	NITRIC ACID, REAGENT (ACS)
2587	NITRIC ACID, SUPERIOR REAGENT (ACS)
63	NITRIC ACID, 69%, VERITAS REDISTILLED
7100	NITRIC ACID, PPB GRADE, VERITAS TRACE
7200	NITRIC ACID, PPT GRADE, VERITAS ULTIMATE
66	PERCHLORIC ACID, 70%, REAGENT (ACS)
2477	PERCHLORIC ACID, 70% SUPERIOR REAGENT (ACS)
67	PERCHLORIC ACID, 70%, VERITAS REDISTILLED
7140	PERCHLORIC ACID, 70%, PPB GRADE, VERITAS TRACE
7240	PERCHLORIC ACID, 70%, PPT GRADE, VERITAS ULTIMATE
627	PHOSPHORIC ACID, 85%, REAGENT (ACS)
628	SULFURIC ACID, REAGENT (ACS)
2588	SULFURIC ACID, SUPERIOR REAGENT (ACS)
1512	SULFURIC ACID, VERITAS REDISTILLED
7120	SULFURIC ACID, PPB GRADE, VERITAS TRACE
7220	SULFURIC ACID, PPT GRADE, VERITAS ULTIMATE
1199	SULFURIC ACID, SOLUTION, 0.1 N
1201	SULFURIC ACID, SOLUTION, 1 N
1198	SULFURIC ACID, 0.02N
9520	SULFURIC ACID, 0.2N
5791	SULFURIC ACID, 12N
390	TRICHLOROACETIC ACID, REAGENT (ACS)
3331	TRIFLUOROACETIC ACID, 99.5%

Bases

Hydroxides and carbonates are critical raw materials for GFS Chemicals, which allows GFS to offer these bases and have them in stock when needed by your lab or production process.

Item #	Product Description
2584	AMMONIUM HYDROXIDE, SUPERIOR REAGENT (ACS)
629	POTASSIUM HYDROXIDE, REAGENT (ACS)
1989	SODIUM HYDROXIDE SOLUTION, 10%
2129	SODIUM HYDROXIDE SOLUTION, 25% W/W
5609	SODIUM HYDROXIDE SOLUTION, 40% W/W
2130	SODIUM HYDROXIDE SOLUTION, 50% W/W
2131	SODIUM HYDROXIDE SOLUTION, 50% W/W, REAGENT GRADE
630	SODIUM HYDROXIDE, REAGENT (ACS)
2133	SODIUM HYDROXIDE, SOLUTION, 0.02 N
2172	SODIUM HYDROXIDE, SOLUTION, 0.05 N
1191	SODIUM HYDROXIDE, SOLUTION, 0.1 N
2291	SODIUM HYDROXIDE, SOLUTION, 0.1 N, in ETHANOL
2198	SODIUM HYDROXIDE, SOLUTION, 0.2 N
1192	SODIUM HYDROXIDE, SOLUTION, 0.5 N
1193	SODIUM HYDROXIDE, SOLUTION, 1.0 N
1573	SODIUM HYDROXIDE, SOLUTION, 2 N
1551	SODIUM HYDROXIDE, SOLUTION, 5 N
1579	SODIUM HYDROXIDE, SOLUTION, 10 N

Primary Standards

GFS produces high purity salts, not only eliminating trace elements, but also for use as primary standard material for use in titrant standardization. From acidimetric and argentometric to chelometric, oxidimetric and redox standards we have you covered. They all are extremely homogeneous and traceable to NIST SRMs. These standards are tested many times with utmost care and approved only with the lowest of standard deviation between tests.

Item #	Product Description
1681	BENZOIC ACID, PRIMARY STANDARD
15	CERIC AMMONIUM NITRATE, CERTIFIED
686	COPPER, PRIMARY STANDARD REAGENT (ACS), SHOT
136	DIPHENYLGUANIDINE, PRIMARY STANDARD
365	DISODIUM DIHYDROGEN ETHYLENEDIAMINETETRAACETATE DIHYDRATE, PRIMARY STANDARD
226	IRON, ELECTROLYTIC, PRIMARY STANDARD
554	POTASSIUM ACID PHTHALATE, PRIMARY STANDARD (ACS)
78	POTASSIUM DICHROMATE, CERTIFIED
1698	SODIUM CARBONATE, ANHYDROUS, PRIMARY STANDARD (ACS)
90	SODIUM OXALATE, CERTIFIED, PRIMARY STANDARD
97	SULFAMIC ACID, PRIMARY STANDARD
5231	TOTAL ORGANIC CARBON STANDARD, 1000 ppm
176	TRISHYDROXYMETHYLAMINOMETHANE, PRIMARY STANDARD

High Purity Solvents

GFS offers exceptional value and superior quality solvents, including ACS grade solvent, HPLC, GC or LC/MS solvents as well as GFS' own Veritas Ultimate solvents. The Veritas grade solvents offer enhanced specifications utilized in critical applications for discriminant instrumentation needs, residue analysis, and cleanroom use in electronics and medical devices. These solvents, in addition to high purity, trace metal grades solvents used in chromatography and spectrophotometry, make up a robust offering all supplied with consistent quality, and guaranteed specifications.

<u>Item #</u>	<u>Product Description</u>
2494	2,2,4-TRIMETHYLPENTANE, HPLC
5578	2,2,4-TRIMETHYLPENTANE, VERITAS ULTIMATE
2481	ACETONE, HPLC
5562	ACETONE, VERITAS ULTIMATE SOLVENT
2482	ACETONITRILE, HPLC
5579	ACETONITRILE, LOW WATER, VERITAS ULTIMATE
3778	CHLOROFORM, VERITAS ULTIMATE, ALCOHOL STABILIZED
1234	CHLOROFORM, VERITAS ULTIMATE, HYDROCARBON STABILIZED
2495	CYCLOHEXANE, HPLC
5564	CYCLOHEXANE, VERITAS ULTIMATE
2484	DICHLOROMETHANE, HPLC
5565	DICHLOROMETHANE, VERITAS ULTIMATE
4524	ETHANOL
2488	ETHYL ACETATE, HPLC
5566	ETHYL ACETATE, VERITAS ULTIMATE
1238	ETHYL ETHER, VERITAS ULTIMATE
2487	HEPTANE, HPLC
2497	HEXANES, HPLC
2489	ISOPROPYL ALCOHOL, HPLC
5569	ISOPROPYL ALCOHOL, VERITAS ULTIMATE
2483	METHYL ALCOHOL, HPLC
1995	METHYL ALCOHOL, VERITAS ULTIMATE, for PURGE and TRAP
5572	METHYL ETHYL KETONE, VERITAS ULTIMATE
2490	METHYL tert-BUTYL ETHER, HPLC
5567	n-HEPTANE, VERITAS ULTIMATE
5568	n-HEXANE, VERITAS ULTIMATE
2491	n-PENTANE, HPLC
5574	n-PENTANE, VERITAS ULTIMATE
5575	PETROLEUM ETHER, VERITAS ULTIMATE
980	PHENOL
5597	PHENOL, LIQUID
2492	TETRAHYDROFURAN, HPLC
5576	TETRAHYDROFURAN, VERITAS ULTIMATE
2493	TOLUENE, HPLC
5577	TOLUENE, VERITAS ULTIMATE
1963	WATER, DEIONIZED (HPLC)
5613	WATER, VERITAS ULTIMATE, DEIONIZED AND FILTERED, FOR LC-MS

Miscellaneous Chemicals & Solutions

Item #	Product Description
165	1,10-PHENANTHROLINE FERROUS SULFATE, 0.025 M SOLUTION IN WATER
162	1,10-PHENANTHROLINE MONOHYDRATE, ACS REAGENT
823	1,5-DIPHENYLCARBOHYDRAZIDE, ACS REAGENT
5192	1-ALLYL-2-THIOUREA, 98%
836	1-AMINO-2-NAPHTHOL-4-SULFONIC ACID, ACS REAGENT
154	2,9-DIMETHYL-1,10-PHENANTHROLINE, ACS REAGENT
142	8-HYDROXYQUINOLINE, 99%, ACS REAGENT
2001	ACETATE BUFFER FOR CHLORINE (APHA) pH 4
714	ACETIC ANHYDRIDE, ACS REAGENT
670	ALUMINA, ACTIVATED, CHROMATOGRAPHIC
2620	ALUMINA, ACTIVATED, NEUTRAL, BROCKMANN I
833	ALUMINUM AMMONIUM SULFATE, DODECAHYDRATE, ACS REAGENT
835	ALUMINUM CHLORIDE, HEXAHYDRATE, REAGENT
772	ALUMINUM POTASSIUM SULFATE, DODECAHYDRATE, ACS REAGENT
598	ALUMINUM SULFATE, HYDRATED, ACS REAGENT
2285	AMMONIACAL BUFFER, pH 10, FOR EDTA TITRATIONS
547	AMMONIUM ACETATE, ACS REAGENT
645	AMMONIUM CHLORIDE, ACS REAGENT
840	AMMONIUM CITRATE, DIBASIC, ACS REAGENT
2024	AMMONIUM MOLYBDATE, 4% SOLUTION
774	AMMONIUM MOLYBDATE, ACS REAGENT
843	AMMONIUM PERSULFATE, ACS REAGENT
647	AMMONIUM SULFATE, ACS REAGENT
2032	ANTIMONY POTASSIUM TARTRATE, SOLUTION
852	ANTIMONY POTASSIUM TARTRATE, TRIHYDRATE, ACS REAGENT
2655	ASCARITE II, 8-20 MESH, CO2 ABSORBENT
854	L-ASCORBIC ACID, ACS REAGENT
2988	BARBITURIC ACID, 99%
602	BARIUM CHLORIDE, DIHYDRATE, ACS REAGENT
107	BARIUM DIPHENYLAMINE SULFONATE, 0.005 M SOLUTION
2037	BORATE BUFFER SOLUTION, pH 9.5
2663	BRIJ 35
675	BROMCRESOL GREEN, SODIUM SALT, ACS REAGENT
9352	BROMCRESOL GREEN-METHYL RED MIXED INDICATOR SOLUTION IN ETHYL ALCOHOL
2562	BROMPHENOL BLUE, FREE ACID, ACS REAGENT
677	BROMPHENOL BLUE, SODIUM SALT, ACS REAGENT
778	BRUCINE SULFATE, ACS REAGENT
3787	CADMIUM, POWDER, -60 MESH
875	CALCIUM CARBONATE, ACS REAGENT
9835	CALCIUM CHLORIDE, 1,000 ppm SOLUTION, HARDNESS STANDARD
683	CALCIUM CHLORIDE, ANHYDROUS, ACS REAGENT
879	CALCIUM HYPOCHLORITE, TECHNICAL
278	CALMAGITE, ACS REAGENT
889	CHLORAMINE T, ACS REAGENT
649	CITRIC ACID, ANHYDROUS, ACS REAGENT
783	COBALT CHLORIDE, HEXAHYDRATE, ACS REAGENT
A2166	COPPER, 99%, POWDER
784	CUPRIC ACETATE, MONOHYDRATE, ACS REAGENT
903	CUPRIC SULFATE, ANHYDROUS, REAGENT
548	CUPRIC SULFATE, PENTAHYDRATE, ACS REAGENT
3559	CUPRIC SULFATE, PENTAHYDRATE, TECHNICAL
822	s-DIPHENYLCARBAZONE, ACS REAGENT
247	DISODIUM DIHYDROGEN ETHYLENEDIAMINETETRAACETATE (EDTA) DIHYDRATE, ACS REAGENT
1152	DISODIUM DIHYDROGEN ETHYLENEDIAMINETETRAACETATE (EDTA), 0.01M SOLUTION
139	DITHIZONE, ACS REAGENT
2685	DOWEX HCR-W2, CATION-EXCHANGE RESIN
246	ERIOCHROME BLACK T, ACS REAGENT
275	ERIOCHROME BLUE BLACK R
231	ETHYLENEDIAMINE, ANHYDROUS
921	FERRIC CHLORIDE, HEXAHYDRATE, ACS REAGENT
922	FERRIC NITRATE, ACS REAGENT

Miscellaneous Chemicals & Solutions cont.

Item #	Product Description
550	FERROUS AMMONIUM SULFATE, ACS REAGENT
1258	FLORISIL, 60-100 MESH, REAGENT
9319	FLUORIDE, 1 ppm STANDARD SOLUTION, PREMIXED WITH TISAB
9320	FLUORIDE, 10 ppm STANDARD SOLUTION, PREMIXED WITH TISAB (COLOR CODED ORANGE)
1587	GALLIC ACID, MONOHYDRATE, LOW METALS GRADE
926	D-GLUCOSE, ANHYDROUS, ACS REAGENT
5454	L-GLUTAMIC ACID, 99%
721	GLYCERIN, ACS REAGENT
2397	GLYCINE, ACS REAGENT
927	HEXAMETHYLENETETRAMINE, ACS REAGENT
929	HYDRAZINE SULFATE, ACS REAGENT
143	HYDROXYLAMMONIUM CHLORIDE, ACS REAGENT
1578	HYDROXYLAMMONIUM CHLORIDE, ACS REAGENT, LOW MERCURY
1164	IODINE 0.1N SOLUTION
723	IODINE, ACS REAGENT
633	LANTHANUM NITRATE, HEXAHYDRATE, REAGENT
3579	LANTHANUM OXIDE, 99.9%
936	LEAD ACETATE, TRIHYDRATE, ACS REAGENT
937	LEAD CARBONATE, ACS REAGENT
607	LEAD NITRATE, ACS REAGENT
2076	LEAD PERCHLORATE, 0.1M SOLUTION
3651	LITHIUM HYDROXIDE, MONOHYDRATE
724	MAGNESIUM CHLORIDE, HEXAHYDRATE, ACS REAGENT
786	MAGNESIUM NITRATE, HEXAHYDRATE, ACS REAGENT
54	MAGNESIUM PERCHLORATE, ANHYDROUS, ACS REAGENT
589	MAGNESIUM PERCHLORATE, SOLUTION
725	MAGNESIUM SULFATE, HEPTAHYDRATE, ACS REAGENT
947	MANGANESE SULFATE, MONOHYDRATE, ACS REAGENT
951	MERCURIC CHLORIDE, ACS REAGENT
613	MERCURIC NITRATE, MONOHYDRATE, ACS REAGENT
953	MERCURIC OXIDE, RED, ACS REAGENT
2338	MERCURIC SULFATE SOLUTION, FOR DIGESTION
614	MERCURIC SULFATE, ACS REAGENT
955	MERCURIC THIOCYANATE, REAGENT
693	MERCURY, ACS REAGENT
694	METHYL ORANGE, ACS REAGENT
695	METHYL RED, SODIUM SALT, ACS REAGENT
145	METHYLENE BLUE
962	METHYLTHYMOL BLUE, SODIUM SALT, ACS REAGENT
5793	MONOCHLOROACETIC ACID BUFFER (pH 3)
967	MORPHOLINE, ACS REAGENT
5317	NICKEL NITRATE, HEXAHYDRATE, ACS REAGENT
652	OXALIC ACID, DIHYDRATE, ACS REAGENT
699	PHENOLPHTHALEIN, ACS REAGENT
2286	PHENYLARSINE OXIDE, 0.00564 N SOLUTION
9383	PHOSPHATE BUFFER for B.O.D., pH ~7.2
2182	PHOSPHATE BUFFER FOR CHLORINE, pH 7
2354	POTASSIUM ACID PHTHALATE, BUFFER GRADE
985	POTASSIUM CARBONATE, ANHYDROUS, ACS REAGENT
653	POTASSIUM CHLORIDE, ACS REAGENT
1097	POTASSIUM DICHROMATE, ACS REAGENT
991	POTASSIUM FERRICYANIDE, ACS REAGENT
993	POTASSIUM FLUORIDE, ACS REAGENT
988	POTASSIUM HEXACHLOROPLATINATE (IV)
79	POTASSIUM IODATE, ACS REAGENT
654	POTASSIUM IODIDE, ACS REAGENT
655	POTASSIUM NITRATE, ACS REAGENT
1186	POTASSIUM PERMANGANATE, 0.1 N SOLUTION
557	POTASSIUM PERSULFATE, ACS REAGENT
731	POTASSIUM PHOSPHATE, DIBASIC, ACS REAGENT

Miscellaneous Chemicals & Solutions cont.

Item #	Product Description
732	POTASSIUM PHOSPHATE, MONOBASIC, GRANULAR, ACS REAGENT
5276	POTASSIUM PHOSPHATE, MONOBASIC, POWDER, ACS REAGENT
997	POTASSIUM SODIUM TARTRATE, ACS REAGENT
3748	POTASSIUM SULFATE, POWDER, ACS REAGENT
82	SILICA GEL, 100-200 MESH, GRADE 923 FOR CHROMATOGRAPHY
2796	SILICA SAND, -50+70 MESH, FOR CHROMATOGRAPHY
2794	SILICIC ACID, -100 MESH, FOR CHROMATOGRAPHY
8297	SILICONE OIL
359	SILVER DIETHYLDITHIOCARBAMATE, ACS REAGENT
3514	SILVER NITRATE, 0.0141 N SOLUTION
378	SILVER NITRATE, ACS REAGENT
618	SILVER SULFATE, ACS REAGENT
1022	SODIUM ACETATE, ANHYDROUS, ACS REAGENT
656	SODIUM ACETATE, TRIHYDRATE, ACS REAGENT
3512	SODIUM AZIDE, ACS REAGENT
704	SODIUM BICARBONATE, ACS REAGENT
3595	SODIUM BISULFITE, ACS REAGENT
1649	SODIUM BOROHYDRIDE, GRANULAR, ACS REAGENT
705	SODIUM CARBONATE, ANHYDROUS, POWDER, ACS REAGENT
657	SODIUM CHLORIDE, ACS REAGENT
1078	SODIUM CHROMATE, TETRAHYDRATE, REAGENT
800	SODIUM CITRATE, DIHYDRATE, ACS REAGENT
5285	SODIUM HYPOCHLORITE SOLUTION, 10-13% AVAILABLE CHLORINE
2763	SODIUM HYPOCHLORITE SOLUTION, 5% AVAILABLE CHLORINE, ACS REAGENT
1033	SODIUM IODIDE, ACS REAGENT
559	SODIUM NITRITE, ACS REAGENT
1099	SODIUM OXALATE, ACS REAGENT
734	SODIUM PHOSPHATE, DIBASIC, ANHYDROUS, ACS REAGENT
3593	SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE, ACS REAGENT
735	SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE, ACS REAGENT
1035	SODIUM PHOSPHATE, TRIBASIC, DODECAHYDRATE, ACS REAGENT
1037	SODIUM SALICYLATE, REAGENT
3669	SODIUM SULFATE, ANHYDROUS
5279	SODIUM SULFATE, ANHYDROUS, FINE POWDER, ACS REAGENT
803	SODIUM SULFATE, ANHYDROUS, GRANULAR, ACS REAGENT
804	SODIUM SULFITE, ACS REAGENT
806	SODIUM TETRABORATE, DECAHYDRATE, ACS REAGENT
1559	SODIUM THIOSULFATE 0.01N SOLUTION
736	SODIUM THIOSULFATE 0.1 N SOLUTION
1195	SODIUM THIOSULFATE 1.0 N SOLUTION
2428	SODIUM THIOSULFATE, ANHYDROUS
561	SODIUM THIOSULFATE, PENTAHYDRATE, ACS REAGENT
1042	SPADNS, ACS REAGENT
562	STANNOUS CHLORIDE, DIHYDRATE, ACS REAGENT
5639	STANNOUS CHLORIDE, DIHYDRATE, ACS REAGENT, LOW MERCURY
2152	STARCH INDICATOR 2% SOLUTION
2414	STARCH, SOLUBLE, ACS REAGENT
5461	STEARIC ACID, 95%
825	SULFAMIC ACID, ACS REAGENT
1045	SULFANILAMIDE, REAGENT
809	L-TARTARIC ACID, ACS REAGENT
7081	TETRASODIUM ETHYLENEDIAMINETETRAACETATE TETRAHYDRATE (EDTA), REAGENT
2163	TISAB II SOLUTION FOR FLUORIDE
5231	TOTAL ORGANIC CARBON STANDARD, 1000 ppm
2167	WATER HARDNESS BUFFER SOLUTION, WITH MAGNESIUM EDTA
1206	ZINC ACETATE, DIHYDRATE, ACS REAGENT

UV-VIS Standards

The In-Spec® product line was designed to make UV/visible spectrophotometer validation accessible and easy for everyone. This range of non-toxic, NIST traceable materials includes photometric accuracy reference standards, wavelength accuracy filters, and stray light filters. In-Spec® standards can be used as both a quality control check and to verify the operating procedure practiced by laboratory staff. All orders come with a detailed certificate of analysis with certified results and are tested in an ISO/IEC 17025 accredited facility.

Item #	Product Description
8414	IN-SPEC AMARANTH RED COLOR STANDARD, CUSTOM UV-VISIBLE REFERENCE MATERIAL
8476	IN-SPEC NANO KIT, PHOTOMETRIC ACCURACY VERIFICATION
8300	IN-SPEC BACKGROUND SOLUTION
8660	IN-SPEC ORANGE COLOR STANDARD, PHOTOMETRIC ACCURACY REFERENCE
8416	IN-SPEC PATENT BLUE COLOR STANDARD, CUSTOM UV-VISIBLE REFERENCE MATERIAL
8587	IN-SPEC PURPLE COLOR STANDARD, PHOTOMETRIC ACCURACY REFERENCE
8301	IN-SPEC UV STANDARD #1, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8302	IN-SPEC UV STANDARD # 2, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8303	IN-SPEC UV STANDARD # 3, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8304	IN-SPEC UV STANDARD # 4, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8305	IN-SPEC UV STANDARD # 5, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8306	IN-SPEC UV STANDARD # 6, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8307	IN-SPEC UV STANDARD # 7, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8308	IN-SPEC UV STANDARD # 8, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8309	IN-SPEC UV STANDARD # 20, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8310	IN-SPEC UV STANDARD # 30, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8311	IN-SPEC VISIBLE STANDARD 0.05, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8312	IN-SPEC VISIBLE STANDARD 0.1, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8322	IN-SPEC VISIBLE STANDARD 0.3, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8313	IN-SPEC VISIBLE STANDARD 0.5, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8314	IN-SPEC VISIBLE STANDARD 0.8, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8315	IN-SPEC VISIBLE STANDARD 1.0, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8316	IN-SPEC VISIBLE STANDARD 4.0, PHOTOMETRIC ACCURACY REFERENCE STANDARD
8658	IN-SPEC UV/VIS VERIFICATION KIT
8445	IN-SPEC TRANSMITTANCE STANDARD, 20%
8444	IN-SPEC TRANSMITTANCE STANDARD, 40%
8443	IN-SPEC TRANSMITTANCE STANDARD, 60%
8442	IN-SPEC TRANSMITTANCE STANDARD, 80%
8446	IN-SPEC TRANSMITTANCE LINEARITY KIT
8378	IN-SPEC WAVELENGTH VERIFICATION STANDARD, DIDYMIUM OXIDE
8340	IN-SPEC WAVELENGTH VERIFICATION STANDARD, HOLMIUM OXIDE
8379	IN-SPEC WAVELENGTH VERIFICATION STANDARD, SAMARIUM OXIDE
8380	IN-SPEC STRAY LIGHT STANDARD, POTASSIUM IODIDE, 1% SOLUTION
8381	IN-SPEC STRAY LIGHT STANDARD, SODIUM IODIDE, 1% SOLUTION
8384	POTASSIUM CHLORIDE, 1.2% SOLUTION, IN-SPEC STRAY LIGHT STANDARD
8350	POTASSIUM DICHROMATE, UV ABSORBANCE/LINEARITY, 20 mg/L REFERENCE SOLUTION
8368	POTASSIUM DICHROMATE, UV ABSORBANCE/LINEARITY, 40 mg/L REFERENCE SOLUTION
8369	POTASSIUM DICHROMATE, UV ABSORBANCE/LINEARITY, 60 mg/L REFERENCE SOLUTION
8348	POTASSIUM DICHROMATE, UV ABSORBANCE/LINEARITY, 80 mg/L REFERENCE SOLUTION
8372	POTASSIUM DICHROMATE, UV ABSORBANCE/LINEARITY, 100 mg/L REFERENCE SOLUTION
8385	POTASSIUM DICHROMATE, UV ABSORBANCE/LINEARITY, FULL REFERENCE KIT
8475	WATER, 100% T

AA/ICP Standards

Vast selection of inorganic reference materials.

Item #	Product Description
1701	ALUMINUM, 10,000 ppm ICP STANDARD SOLUTION
1700	ALUMINUM, 1000 ppm ICP STANDARD SOLUTION, in HYDROCHLORIC ACID
2298	ALUMINUM, 1000 ppm ICP STANDARD SOLUTION, in NITRIC ACID
737	ALUMINUM, 1000 ppm STANDARD SOLUTION
1703	ANTIMONY, 10,000 ppm ICP STANDARD SOLUTION
1702	ANTIMONY, 1000 ppm ICP STANDARD SOLUTION
2299	ANTIMONY, 1000 ppm ICP STANDARD, in NITRIC ACID
1567	ANTIMONY, 1000 ppm STANDARD SOLUTION
1705	ARSENIC, 10,000 ppm ICP STANDARD SOLUTION
1704	ARSENIC, 1000 ppm ICP STANDARD SOLUTION
739	ARSENIC, 1000 ppm STANDARD SOLUTION
1860	BARIUM CHLORIDE SOLUTION, 1.0 N
1707	BARIUM, 10,000 ppm ICP STANDARD SOLUTION
1706	BARIUM, 1000 ppm ICP STANDARD SOLUTION
740	BARIUM, 1000 ppm STANDARD SOLUTION
1709	BERYLLIUM, 10,000 ppm ICP STANDARD SOLUTION
1708	BERYLLIUM, 1000 ppm ICP STANDARD SOLUTION
1711	BISMUTH, 10,000 ppm ICP STANDARD SOLUTION
1710	BISMUTH, 1000 ppm ICP STANDARD SOLUTION
1713	BORON, 10,000 ppm ICP STANDARD SOLUTION
1712	BORON, 1000 ppm ICP STANDARD SOLUTION
741	BORON, 1000 ppm STANDARD SOLUTION
1715	CADMIUM, 10,000 ppm ICP STANDARD SOLUTION
1714	CADMIUM, 1000 ppm ICP STANDARD SOLUTION
743	CADMIUM, 1000 ppm STANDARD SOLUTION
1717	CALCIUM, 10,000 ppm ICP STANDARD SOLUTION
1716	CALCIUM, 1000 ppm ICP STANDARD SOLUTION
744	CALCIUM, 1000 ppm STANDARD SOLUTION
1721	CERIUM, 10,000 ppm ICP STANDARD SOLUTION
1720	CERIUM, 1000 ppm ICP STANDARD SOLUTION
745	CERIUM, 1000 ppm STANDARD SOLUTION
1723	CESIUM, 10,000 ppm ICP STANDARD SOLUTION
1722	CESIUM, 1000 ppm ICP STANDARD SOLUTION
2725	CHROMIUM, 10,000 ppm ICP STANDARD SOLUTION
1725	CHROMIUM, 10,000 ppm ICP STANDARD SOLUTION, in HYDROCHLORIC ACID
1974	CHROMIUM, 1000 ppm ICP STANDARD SOLUTION
1724	CHROMIUM, 1000 ppm ICP STANDARD SOLUTION, in HYDROCHLORIC ACID
747	CHROMIUM, 1000 ppm STANDARD SOLUTION
1727	COBALT, 10,000 ppm ICP STANDARD SOLUTION
1726	COBALT, 1000 ppm ICP STANDARD SOLUTION
748	COBALT, 1000 ppm STANDARD SOLUTION
1728	COPPER, 1,000 ppm ICP STANDARD SOLUTION
543	COPPER, 1,000 ppm STANDARD SOLUTION
542	COPPER, 10 ppm STANDARD SOLUTION
1729	COPPER, 10,000 ppm ICP STANDARD SOLUTION
1544	COPPER, 2 ppm STANDARD SOLUTION
2406	COPPER, 5 ppm STANDARD SOLUTION
1730	DYSPROSIUM, 1,000 ppm ICP STANDARD SOLUTION
1731	DYSPROSIUM, 10,000 ppm ICP STANDARD SOLUTION
1732	ERBIUM, 1,000 ppm ICP STANDARD SOLUTION
1733	ERBIUM, 10,000 ppm ICP STANDARD SOLUTION
1734	EUROPIUM, 1,000 ppm ICP STANDARD SOLUTION
1735	EUROPIUM, 10,000 ppm ICP STANDARD SOLUTION
1736	GADOLINIUM, 1,000 ppm ICP STANDARD SOLUTION
1737	GADOLINIUM, 10,000 ppm ICP STANDARD SOLUTION
1738	GALLIUM, 1,000 ppm ICP STANDARD SOLUTION

AA/ICP Standards cont.

Item #	Product Description
1739	GALLIUM, 10,000 ppm ICP STANDARD SOLUTION
1740	GERMANIUM, 1,000 ppm ICP STANDARD SOLUTION
1741	GERMANIUM, 10,000 ppm ICP STANDARD SOLUTION
1742	GOLD, 1,000 ppm ICP STANDARD SOLUTION
1743	GOLD, 10,000 ppm ICP STANDARD SOLUTION
1744	HAFNIUM, 1,000 ppm ICP STANDARD SOLUTION
1745	HAFNIUM, 10,000 ppm ICP STANDARD SOLUTION
1746	HOLMIUM, 1,000 ppm ICP STANDARD SOLUTION
1747	HOLMIUM, 10,000 ppm ICP STANDARD SOLUTION
1748	INDIUM, 1,000 ppm ICP STANDARD SOLUTION
1749	INDIUM, 10,000 ppm ICP STANDARD SOLUTION
1750	IRIDIUM, 1,000 ppm ICP STANDARD SOLUTION
1751	IRIDIUM, 10,000 ppm ICP STANDARD SOLUTION
1085	IRON, 1 ppm STANDARD SOLUTION
1752	IRON, 1,000 ppm ICP STANDARD SOLUTION
545	IRON, 1,000 ppm STANDARD SOLUTION
544	IRON, 10 ppm STANDARD SOLUTION
1753	IRON, 10,000 ppm ICP STANDARD SOLUTION
1754	LANTHANUM, 1,000 ppm ICP STANDARD SOLUTION
749	LANTHANUM, 1,000 ppm STANDARD SOLUTION
1755	LANTHANUM, 10,000 ppm ICP STANDARD SOLUTION
1756	LEAD, 1,000 ppm ICP STANDARD SOLUTION
750	LEAD, 1,000 ppm STANDARD SOLUTION
1757	LEAD, 10,000 ppm ICP STANDARD SOLUTION
1758	LITHIUM, 1,000 ppm ICP STANDARD SOLUTION
751	LITHIUM, 1,000 ppm STANDARD SOLUTION
1759	LITHIUM, 10,000 ppm ICP STANDARD SOLUTION
1760	LUTETIUM, 1,000 ppm ICP STANDARD SOLUTION
1761	LUTETIUM, 10,000 ppm ICP STANDARD SOLUTION
1762	MAGNESIUM, 1,000 ppm ICP STANDARD SOLUTION
752	MAGNESIUM, 1,000 ppm STANDARD SOLUTION
1763	MAGNESIUM, 10,000 ppm ICP STANDARD SOLUTION
1764	MANGANESE, 1,000 ppm ICP STANDARD SOLUTION
753	MANGANESE, 1,000 ppm STANDARD SOLUTION
1765	MANGANESE, 10,000 ppm ICP STANDARD SOLUTION
1766	MERCURY, 1,000 ppm ICP STANDARD SOLUTION
754	MERCURY, 1,000 ppm STANDARD SOLUTION
1767	MERCURY, 10,000 ppm ICP STANDARD SOLUTION
1768	MOLYBDENUM, 1,000 ppm ICP STANDARD SOLUTION
1568	MOLYBDENUM, 1,000 ppm STANDARD SOLUTION
1769	MOLYBDENUM, 10,000 ppm ICP STANDARD SOLUTION
1841	MULTIELEMENT STANDARD, ALKALIS & ALKALINE EARTHS
1866	MULTIELEMENT STANDARD, COMMON AND TRANSITION ELEMENTS
1864	MULTIELEMENT STANDARD, COMMON ELEMENTS MIX 1
1865	MULTIELEMENT STANDARD, COMMON ELEMENTS MIX 2
1875	MULTIELEMENT STANDARD, METALLOID/HYDRIDE ELEMENTS
1844	MULTIELEMENT STANDARD, PRECIOUS METALS
1846	MULTIELEMENT STANDARD, RARE EARTH ELEMENTS
1843	MULTIELEMENT STANDARD, REFRACTORY ELEMENTS I
1874	MULTIELEMENT STANDARD, REFRACTORY ELEMENTS II
3515	MULTIELEMENT STANDARD, TRACE ELEMENTS I, for EPA METHOD 600/4-79-020
1842	MULTIELEMENT STANDARD, TRANSITION ELEMENTS
1868	MULTIELEMENT STANDARD, US EPA 23 ELEMENTS
1869	MULTIELEMENT STANDARD, US EPA RCRA ELEMENTS
1770	NEODYMIUM, 1,000 ppm ICP STANDARD SOLUTION
1771	NEODYMIUM, 10,000 ppm ICP STANDARD SOLUTION
755	NICKEL, 1,000 ppm AA STANDARD SOLUTION
1772	NICKEL, 1,000 ppm ICP STANDARD SOLUTION

AA/ICP Standards cont.

Item #	Product Description
1773	NICKEL, 10,000 ppm ICP STANDARD SOLUTION
1774	NIOBIUM, 1,000 ppm ICP STANDARD SOLUTION
1775	NIOBIUM, 10,000 ppm ICP STANDARD SOLUTION
1776	OSMIUM, 1,000 ppm ICP STANDARD SOLUTION
1777	PALLADIUM, 1,000 ppm ICP STANDARD SOLUTION
1778	PALLADIUM, 10,000 ppm ICP STANDARD SOLUTION
1779	PHOSPHORUS, 1,000 ppm ICP STANDARD SOLUTION
1780	PHOSPHORUS, 10,000 ppm ICP STANDARD SOLUTION
1781	PLATINUM, 1,000 ppm ICP STANDARD SOLUTION
1782	PLATINUM, 10,000 ppm ICP STANDARD SOLUTION
1861	POTASSIUM PERMANGANATE, SOLUTION, 1.0 N
759	POTASSIUM, 1,000 ppm AA STANDARD SOLUTION
1783	POTASSIUM, 1,000 ppm ICP STANDARD SOLUTION
1784	POTASSIUM, 10,000 ppm ICP STANDARD SOLUTION
1785	PRASEODYMIUM, 1,000 ppm ICP STANDARD SOLUTION
1786	PRASEODYMIUM, 10,000 ppm ICP STANDARD SOLUTION
1847	PRIORITY POLLUTANT SET, ICP STANDARDS 13 ELEMENTS
1787	RHENIUM, 1,000 ppm ICP STANDARD SOLUTION
1788	RHENIUM, 10,000 ppm ICP STANDARD SOLUTION
1789	RHODIUM, 1,000 ppm ICP STANDARD SOLUTION
1790	RHODIUM, 10,000 ppm ICP STANDARD SOLUTION
1791	RUBIDIUM, 1,000 ppm ICP STANDARD SOLUTION
1792	RUBIDIUM, 10,000 ppm ICP STANDARD SOLUTION
1793	RUTHENIUM, 1,000 ppm ICP STANDARD SOLUTION
1794	RUTHENIUM, 10,000 ppm ICP STANDARD SOLUTION
1795	SAMARIUM, 1,000 ppm ICP STANDARD SOLUTION
1796	SAMARIUM, 10,000 ppm ICP STANDARD SOLUTION
1797	SCANDIUM, 1,000 ppm ICP STANDARD SOLUTION
1798	SCANDIUM, 10,000 ppm ICP STANDARD SOLUTION
1799	SELENIUM, 1,000 ppm ICP STANDARD SOLUTION
1569	SELENIUM, 1,000 ppm STANDARD SOLUTION
1800	SELENIUM, 10,000 ppm ICP STANDARD SOLUTION
1801W	SILICON, 1,000 ppm ICP STANDARD SOLUTION, in WATER
1802W	SILICON, 10,000 ppm ICP STANDARD SOLUTION, in WATER
1803	SILVER, 1,000 ppm ICP STANDARD SOLUTION
760	SILVER, 1,000 ppm STANDARD SOLUTION
1804	SILVER, 10,000 ppm ICP STANDARD SOLUTION
1805	SODIUM, 1,000 ppm ICP STANDARD SOLUTION
761	SODIUM, 1,000 ppm STANDARD SOLUTION
1806	SODIUM, 10,000 ppm ICP STANDARD SOLUTION
1807	STRONTIUM, 1,000 ppm ICP STANDARD SOLUTION
762	STRONTIUM, 1,000 ppm STANDARD SOLUTION
1808	STRONTIUM, 10,000 ppm ICP STANDARD SOLUTION
1809	SULFUR, 1,000 ppm ICP STANDARD SOLUTION
1810	SULFUR, 10,000 ppm ICP STANDARD SOLUTION
1811	TANTALUM, 1,000 ppm ICP STANDARD SOLUTION
1812	TANTALUM, 10,000 ppm ICP STANDARD SOLUTION
1813	TELLURIUM, 1,000 ppm ICP STANDARD SOLUTION
1814	TELLURIUM, 10,000 ppm ICP STANDARD SOLUTION
1815	TERBIUM, 1,000 ppm ICP STANDARD SOLUTION
1816	TERBIUM, 10,000 ppm ICP STANDARD SOLUTION
1817	THALLIUM, 1,000 ppm ICP STANDARD SOLUTION
1818	THALLIUM, 10,000 ppm ICP STANDARD SOLUTION
1819	THORIUM, 1,000 ppm ICP STANDARD SOLUTION
1820	THORIUM, 10,000 ppm ICP STANDARD SOLUTION
1821	THULIUM, 1,000 ppm ICP STANDARD SOLUTION
1822	THULIUM, 10,000 ppm ICP STANDARD SOLUTION
1823	TIN, 1,000 ppm ICP STANDARD SOLUTION

AA/ICP Standards cont.

<u>Item #</u>	<u>Product Description</u>
764	TIN, 1,000 ppm STANDARD SOLUTION
1824	TIN, 10,000 ppm ICP STANDARD SOLUTION
1825	TITANIUM, 1,000 ppm ICP STANDARD SOLUTION
1826	TITANIUM, 10,000 ppm ICP STANDARD SOLUTION
1827	TUNGSTEN, 1,000 ppm ICP STANDARD SOLUTION
1828	TUNGSTEN, 10,000 ppm ICP STANDARD SOLUTION
1829	URANIUM, 1,000 ppm ICP STANDARD SOLUTION
1830	URANIUM, 10,000 ppm ICP STANDARD SOLUTION
765	VANADIUM, 1,000 ppm AA STANDARD SOLUTION
1831	VANADIUM, 1,000 ppm ICP STANDARD SOLUTION
1832	VANADIUM, 10,000 ppm ICP STANDARD SOLUTION
1833	YTTERBIUM, 1,000 ppm ICP STANDARD SOLUTION
1834	YTTERBIUM, 10,000 ppm ICP STANDARD SOLUTION
1835	YTTRIUM, 1,000 ppm ICP STANDARD SOLUTION
1836	YTTRIUM, 10,000 ppm ICP STANDARD SOLUTION
1837	ZINC, 1,000 ppm ICP STANDARD SOLUTION
766	ZINC, 1,000 ppm STANDARD SOLUTION
1838	ZINC, 10,000 ppm ICP STANDARD SOLUTION
1839	ZIRCONIUM, 1,000 ppm ICP STANDARD SOLUTION
1840	ZIRCONIUM, 10,000 ppm ICP STANDARD SOLUTION

IC Standards

Offering includes fluoride, chloride, nitrate, nitrite, sulfate, phosphate, plus many others. GFS offers solutions with custom concentrations and packaging configurations based upon your needs. Please inquire.

<u>Item #</u>	<u>Product Description</u>
3753	ACETATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3754	BROMATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3755	BROMIDE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3756	CHLORATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3757	CHLORIDE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3758	CHLORITE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3759	CHROMATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
9030	CYANIDE, 1000 ppm, ION STANDARD
3760	DICHROMATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
9319	FLUORIDE, 1 ppm STANDARD SOLUTION, PREMIXED WITH TISAB
3761	FLUORIDE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3762	FORMATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3763	IODIDE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3764	MOLYBDATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3765	NITRATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3766	NITRITE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
2323	NITROGEN, 1,000 ppm, ION CHROMATOGRAPHY STANDARD
2324	NITROGEN, 20 ug/ml ION STANDARD SOLUTION, ION CHROMATOGRAPHY STANDARD
3767	OXALATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3768	PERCHLORATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3769	PHOSPHATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3770	SILICA, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION
3771	SULFATE, 1,000 ppm, ION CHROMATOGRAPHY STANDARD SOLUTION



GFS offers solutions with custom concentrations and packaging configurations based upon your needs. Please inquire.